

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB8					
AB8 (149 yds east of pier by last steps on rock wa	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	09/28/2020	TOTAL COLIFORM 1:10		131	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	09/28/2020	E. COLI 1:10		20	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/05/2020	TOTAL COLIFORM 1:10		96	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/05/2020	E. COLI 1:10		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/13/2020	TOTAL COLIFORM 1:10		31	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/19/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/19/2020	TOTAL COLIFORM 1:10		52	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/19/2020	E. COLI 1:10		20	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/26/2020	TOTAL COLIFORM 1:10		389	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/26/2020	E. COLI 1:10		218	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
AB10					
AB10 (350 yards west of pier - creek outfall)	09/28/2020	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	09/28/2020	TOTAL COLIFORM 1:10		121	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	09/28/2020	E. COLI 1:10		52	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/05/2020	TOTAL COLIFORM 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/05/2020	E. COLI 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/13/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/13/2020	TOTAL COLIFORM 1:10		228	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/13/2020	E. COLI 1:10		63	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/19/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/19/2020	TOTAL COLIFORM 1:10		52	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/19/2020	E. COLI 1:10		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/26/2020	TOTAL COLIFORM 1:10		75	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	10/26/2020	E. COLI 1:10		52	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
CAY13					
CAY13 (Studio Dr pkg lot so of Old Creek)	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	09/28/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	09/28/2020	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/05/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/05/2020	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/13/2020	TOTAL COLIFORM 1:10		41	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/20/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/20/2020	TOTAL COLIFORM 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/20/2020	E. COLI 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/26/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	10/26/2020	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
CAY14					
CAY14 (Farthest swing set near D street)	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	09/28/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	09/28/2020	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/05/2020	ENTEROCOCCI, MPN 1:10		111	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/05/2020	TOTAL COLIFORM 1:10		52	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/05/2020	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/06/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/13/2020	TOTAL COLIFORM 1:10		52	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/13/2020	E. COLI 1:10		41	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/20/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/20/2020	TOTAL COLIFORM 1:10		41	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/20/2020	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/26/2020	TOTAL COLIFORM 1:10		63	MPN/100 ML
CAY14 (Farthest swing set near D street)	10/26/2020	E. COLI 1:10		41	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
CAY16					
CAY16 (north of pier at creek outfall)	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	09/28/2020	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	09/28/2020	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/05/2020	TOTAL COLIFORM 1:10		52	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/05/2020	E. COLI 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/13/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/20/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/20/2020	TOTAL COLIFORM 1:10		41	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/20/2020	E. COLI 1:10		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/26/2020	TOTAL COLIFORM 1:10		30	MPN/100 ML
CAY16 (north of pier at creek outfall)	10/26/2020	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
HSB23					
HSB23 (100 yds west of the pier - creek outfall)	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	09/28/2020	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	09/28/2020	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/05/2020	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/05/2020	TOTAL COLIFORM 1:10		41	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/05/2020	E. COLI 1:10		41	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/13/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/20/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/20/2020	TOTAL COLIFORM 1:10		85	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/20/2020	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/26/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/26/2020	TOTAL COLIFORM 1:10		20	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	10/26/2020	E. COLI 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
MB11					
MB11 (25 yds north of main parking lot)	09/28/2020	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	09/28/2020	TOTAL COLIFORM 1:10		364	MPN/100 ML
MB11 (25 yds north of main parking lot)	09/28/2020	E. COLI 1:10		345	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/05/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/05/2020	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/13/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/20/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/20/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/20/2020	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/26/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	10/26/2020	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
MB12					
MB12 (Small prkg lot so side Morro Bay Creek)	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	09/28/2020	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	09/28/2020	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/05/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/05/2020	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/13/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/20/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/20/2020	TOTAL COLIFORM 1:10		30	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/20/2020	E. COLI 1:10		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/26/2020	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/26/2020	TOTAL COLIFORM 1:10		41	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	10/26/2020	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
MB13					
MB13 (Atascadero Ave)	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	09/28/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	09/28/2020	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/05/2020	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB13 (Atascadero Ave)	10/05/2020	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/13/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/20/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/20/2020	TOTAL COLIFORM 1:10		52	MPN/100 ML
MB13 (Atascadero Ave)	10/20/2020	E. COLI 1:10		10	MPN/100 ML
MB13 (Atascadero Ave)	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/26/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	10/26/2020	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
MB14					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	09/28/2020	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	09/28/2020	E. COLI 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	10/05/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	10/05/2020	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	10/13/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	10/20/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	10/20/2020	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	10/20/2020	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	10/26/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so restro	10/26/2020	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
OCB11					
OCB11 (571 yds so Pier Ave last house end of Stran	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	09/28/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	09/28/2020	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/05/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/05/2020	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/05/2020	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/13/2020	TOTAL COLIFORM 1:10		63	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/19/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/19/2020	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/19/2020	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/26/2020	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/26/2020	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave last house end of Stran	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
OCB12					
OCB12 (Pier Ave)	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	09/28/2020	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	09/28/2020	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/05/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	10/05/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/05/2020	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/13/2020	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB12 (Pier Ave)	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/19/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	10/19/2020	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	10/19/2020	E. COLI 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	10/26/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	10/26/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	10/26/2020	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
OCB13					
OCB13 (350 yds no of Pier Ave)	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	09/28/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	09/28/2020	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/05/2020	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/05/2020	E. COLI 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/13/2020	TOTAL COLIFORM 1:10		41	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/19/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/19/2020	TOTAL COLIFORM 1:10		52	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/19/2020	E. COLI 1:10		20	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/26/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	10/26/2020	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom)	09/28/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	09/28/2020	TOTAL COLIFORM 1:10		98	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	09/28/2020	E. COLI 1:10		63	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/05/2020	TOTAL COLIFORM 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/05/2020	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/13/2020	TOTAL COLIFORM 1:10		110	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/13/2020	E. COLI 1:10		75	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/19/2020	ENTEROCOCCI, MPN 1:10		429	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/19/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/19/2020	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/20/2020	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/26/2020	TOTAL COLIFORM 1:10		41	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/26/2020	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
PB3					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/28/2020	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/28/2020	TOTAL COLIFORM 1:10		31	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/28/2020	E. COLI 1:10		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/05/2020	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/05/2020	TOTAL COLIFORM 1:10		160	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/05/2020	E. COLI 1:10		121	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/13/2020	TOTAL COLIFORM 1:10		30	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/13/2020	E. COLI 1:10		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/19/2020	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/19/2020	TOTAL COLIFORM 1:10		97	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/19/2020	E. COLI 1:10		52	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/26/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/26/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/26/2020	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
PB4					
PB4 (14 yds so of pier)	09/28/2020	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PB4 (14 yds so of pier)	09/28/2020	TOTAL COLIFORM 1:10		75	MPN/100 ML
PB4 (14 yds so of pier)	09/28/2020	E. COLI 1:10		31	MPN/100 ML
PB4 (14 yds so of pier)	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	10/05/2020	TOTAL COLIFORM 1:10		52	MPN/100 ML
PB4 (14 yds so of pier)	10/05/2020	E. COLI 1:10		31	MPN/100 ML
PB4 (14 yds so of pier)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	10/13/2020	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB4 (14 yds so of pier)	10/13/2020	E. COLI 1:10		20	MPN/100 ML
PB4 (14 yds so of pier)	10/19/2020	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
PB4 (14 yds so of pier)	10/19/2020	TOTAL COLIFORM 1:10		256	MPN/100 ML
PB4 (14 yds so of pier)	10/19/2020	E. COLI 1:10		171	MPN/100 ML
PB4 (14 yds so of pier)	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	10/26/2020	TOTAL COLIFORM 1:10		97	MPN/100 ML
PB4 (14 yds so of pier)	10/26/2020	E. COLI 1:10		75	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
PB5					
PB5 (338 yds no of pier Edgewater motel blue roof	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	09/28/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	09/28/2020	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/05/2020	TOTAL COLIFORM 1:10		86	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/05/2020	E. COLI 1:10		63	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/13/2020	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/13/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/19/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/19/2020	TOTAL COLIFORM 1:10		41	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/19/2020	E. COLI 1:10		31	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/26/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	10/26/2020	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
PICO23					
PICO23 (Pico Ave, San Simeon out from stairs)	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	09/28/2020	TOTAL COLIFORM 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	09/28/2020	E. COLI 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/05/2020	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/05/2020	TOTAL COLIFORM 1:10		31	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/05/2020	E. COLI 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/13/2020	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/20/2020	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/20/2020	TOTAL COLIFORM 1:10		183	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/20/2020	E. COLI 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/26/2020	TOTAL COLIFORM 1:10		41	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	10/26/2020	E. COLI 1:10		31	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		9/28/2020-10/26/2020			
SEW7					
SEW7 (Silver Shoals Dr)	09/28/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	09/28/2020	TOTAL COLIFORM 1:10		155	MPN/100 ML
SEW7 (Silver Shoals Dr)	09/28/2020	E. COLI 1:10		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/05/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/05/2020	TOTAL COLIFORM 1:10		96	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/05/2020	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/13/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/13/2020	TOTAL COLIFORM 1:10		30	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/13/2020	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/19/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/19/2020	TOTAL COLIFORM 1:10		62	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/19/2020	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/26/2020	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/26/2020	TOTAL COLIFORM 1:10		85	MPN/100 ML
SEW7 (Silver Shoals Dr)	10/26/2020	E. COLI 1:10		20	MPN/100 ML